WELDING JOURNAL INDEX

VOLUME 57—1978

PUBLISHED BY AMERICAN WELDING SOCIETY, 2501 N.W. 7th ST., MIAMI, FL 33125

Part 1—WELDING JOURNAL

SUBJECT INDEX

Accurate Device for Aligning Beam Deflection Welds, An—R. D. Dixon, 31 to 37, (Apr).
"Achievement," the Saga of the Yacht—H. W. Pierce, 15 to 22, (Nov).
*Additional 12 Inches of Stainless Steel Saves 29,850 Feet of Welding—38, (Mar).
Adhesive/Cohesive Strength of Thin Thermally Sprayed Deposits, Determining the—F. J. Hermanek, 31 to 35, (Nov).
Aircraft Gas Turbine Engines, Nickel Brazing Honeycomb for—W. P. McNeill, 32 to 35, (Oct).
Aligning Beam Deflection Welds, An Accurate Device for—R. D. Dixon, 31 to 37, (Apr).
Aluminum Alloys, Hot Pressure Welding of—G. E. Metzger, 37 to 43, (Jan).
Aluminum Components, Fluxless Bonding Method for—K. F. Dockus, 36 to 42, (Oct).
Aluminum Heat Exchangers, The Repair of—R. A. Morley and T. L. Wilkinson, 15 to 22, (Oct).
*Aluminum Truck Cab, Tooling, Materials Evaluation, Computerized Controls-Three Keys to the Resistance Welding of an—36 to 37, (Mar).
Aluminum with a Non-Corrosive Flux, Furnace Brazing of—W. E. Cooke, T. E. Wright and J. A. Hirschfield, 23 to 28, (Dec).
*Ancient Indian Pueblo Conquers Welding Smoke—45 to 46, (Oct).
*Aquamobile in Tulsa's Helmerich Park, Copper-Tin Alloy + GTAW = —44 to 46, (Jan).
*Autoclave Welders Achieve Near-Zero Defects—40, (Aug).
*Automatic Welding Increases Campstove Grill Production More than 400%—31 to 32, (Feb).
Automatic Welding of Marine Pipelines on the Semac I Lay Barge—R. L. Jones, D. K. Kiltau and K. P. Havik, 15 to 21, (Sept).
*Automatic Welding Setup Speeds Tanker Construction—40 to 41, (July).
*Automotive Manufacturer and Training Center, Pay-Off is Welders for—35, (Feb).
AWS/WRC Interactions in Cooperative Welding Research, 1978 Educational Lecture:—P.W. Ramsey, 24 to 32, (July).

*Barge Goes Topsy Turvey to Cut Repair Costs—43, (Aug).
Beam Deflection Welds, An Accurate Device for Aligning—R. D. Dixon, 31 to 37, (Apr).
*Big Nuclear Pump Welds Require a Lot of Testing—40 to 41, (Sept).
Bonding Method for Aluminum Components, Fluxless—K. F. Dockus, 36 to 42, (Oct).
*Boot Strap Fixture Speeds Assembly of Massive Heat Exchanger—43 to 44, (Apr).
Brazing Alloys, Recent Developments in Cadmium-Free Silver—P. M. Roberts, 23 to 30, (Oct).
Brazing Foil, Metglas®—N. DeCristofaro and C. Henschel, 33 to 38, (July).
Brazing Honeycomb for Aircraft Gas Turbine Engines—W. P. McNeill, 32 to 35, (Oct).
*Brazing—The Way to Corrosion Resistant Joints in Stainless Steel Assemblies—44 to 45, (Oct).
Brazing Titanium Sandwich Structures, Diffusion—M. Prager, L. K. Keay and E. W. Thiele, Jr., 22 to 34, (Sept).
*Breathing Zones Meet OSHA Standards, Electrostatic Precipitator Helps Welders'—38, (Apr).
Breeder Reactor Fuel Pin End Closures, Pulsed Magnetic Welding of—W. F. Brown, J. Bandas, and N. T. Olson, 22 to 26, (June).

Cadmium-Free Silver Brazing Alloys, Recent Developments in—P. M. Roberts, 23 to 30, (Oct).
*Campstove Grill Production More than 400%, Automatic Welding Increases—31 to 32, (Feb).
Carbon Steel, Friction Welding Hastelloy X to—K. H. Holko, 19 to 27, (Mar).
*Chip Resistance Criterion at Metals Manufacturing Plant, Hard Facing Meets—44, (May).
*Clamp, Surfacing Imparts Long Life to Pipeline Line-Up—37 to 39, (Nov).
Closures, Pulsed Magnetic Welding of Breeder Reactor Fuel Pin End—W. F. Brown, J. Bandas and N. T. Olson, 22 to 26, (June).
Cold Wire GMA Welding of Motor Rotors for Mining Machinery—J. S. Clark and R. L. Queen, 15 to 21, (June).
College of San Mateo, Solving Welding Problems at the—L. DeFreitas, 15 to 24, (Aug).
*Construction of Massive Machine to Lay Giant Pipe Made Possible by Welding—32 to 33, (Feb).
*Containership Welding Costs 50%, Flux-Cored Electrodes Help Reduce—36 to 37, (June).
Copper and Copper Nickel Clad Steels, Joining—M. Prager L. K. Keay and E. W. Thiele, Jr., 22 to 34, (Sept).
Copper Nickel, Welding of Small Diameter Deep-Drilled Holes in—F. T. Bacha, 29 to 35, (Jan).

A Practical Welder article

*Copper Surfaced Ring Key to Mine Roof Support—45, (July).
*Copper-Tin Alloy + GTAW = Aquamobile in Tulsa's Helmerich Park—44 to 46, (Jan).
*Corrosion Resistant Joints in Stainless Steel Assemblies, Brazing—The Way to—44 to 45, (Oct).
*Cradle Simplifies Transformer Repair, Welded—44, (July).
*Cutting—Answer to a Problem, Plasma—39-40, (Nov).
Cutting With a 40-Ton Press, Some Results from Combining Plasma Arc—B. Rolland and H. Conn, 26 to 29, (Feb).

*Defects, Autoclave Welders Achieve Near-Zero—40, (Aug).
Deflection Welds, An Accurate Device for Aligning Beam—R. D. Dixon, 31 to 37, (Apr).
Determining the Adhesive/Cohesive Strength of Thin Thermally Sprayed Deposits—F. J. Hermanek, 31 to 35, (Nov).
Development of Induction Heat Treatment for Automatic Offshore Pipe Welding—R. L. Jones, D. K. Kiltau and K. P. Havik, 15 to 22, (Dec).
Diffusion Brazing Titanium Sandwich Structures—M. M. Schwartz, 22 to 34, (Sept).
Distillery Spent Wash Evaporator Equipment, Fabrication of—B. M. Patchett and D. Slater, 25 to 31, (Aug).
*Duke Power Cites Training, Electrodes for Low Weld Reject Rates—35 to 36, (Dec).

Educational Lecture: AWS/WRC Interactions in Cooperative Welding Research, 1978—P. W. Ramsey, 24 to 32, (July).
Electrode Systems for Submerged Arc Welding, Multiple—G. D. Uttrachi, 15 to 22, (May).
*Electrostatic Precipitator Helps Welders' Breathing Zones Meet OSHA Standards—38, (Apr).
Evaporator Equipment, Fabrication of Distillery Spent Wash—B. M. Patchett and D. Slater, 25 to 31, (Aug).

Fabrication of Distillery Spent Wash Evaporator Equipment—B. M. Patchett and D. Slater, 25 to 31, (Aug).
Field Inspection of Pipeline Girth Welds—G. K. Hickox, 15 to 18, (Feb).
Field Testing and Repair of Steel Transmission Poles—R. V. Collins and J. D. Black, 32 to 38, (May).
*Fire Protection People, U.A. Local 669 Conducts Welding Program for—46 to 48, (Jan).
*Firewall Toe Plates Assembled by Resistance Welding to Collapsible Steering Columns—45, (May).
*Fixture Speeds Assembly of Massive Heat Exchanger, Boot Strap—43 to 44, (Apr).
Flame Sprayed Coatings, Laser Fusing of—G. C. Irons, 29 to 32, (Dec).
*Flux Cored Electrode Helps Cut Production Time 15-30% When Used for Spot Welding—41, (Apr).
*Flux-Cored Electrodes Help Reduce Containership Welding Costs 50%—36 to 37, (June).
*Flux-Cored Welding Contributes to 30% Pipe Welding Cost Reduction at Wolf Creek Nuclear Plant—40 to 44, (May).
Fluxless Bonding Method for Aluminum Components—K. F. Dockus, 36 to 42, (Oct).
Foil, Metglas® Brazing—N. DeCristofaro and C. Henschel, 33 to 38, (July).
Friction Welding Hastelloy X to Carbon Steel—K. H. Holko, 19 to 27, (Mar).
*Friction Welding is the Answer for Packaging Machinery Manufacturers—42, (Aug).
Fuel Pin End Closures, Pulsed Magnetic Welding of Breeder Reactor—W. F. Brown, J. Bandas, and N. T. Olson, 22 to 26, (June).
Fumes, OSHA Regulatory Proposals and Philosophies Pertaining to Welding—W. T. DeLong, 15 to 23, (July).
Furnace Brazing of Aluminum with a Non-Corrosive Flux—W. E. Cooke, T. E. Wright and J. A. Hirschfield, 23 to 28, (Dec).

*Grill Production More than 400%, Automatic Welding Increases Campstove—31 to 32, (Feb).
*GTA "Cold Wire" Welding, Using a Pencil Feeder for—40, (Apr).

*Hard Facing Meets Chip Resistance Criterion at Metals Manufacturing Plant—44, (May).
*Hardness Testing, Quick Tips for Simplifying Metal—R. D. Borgersen, 34 to 36, (June).
Hastelloy X to Carbon Steel, Friction Welding—K. H. Holko, 19 to 27, (Mar).
*Heap Little Chief Does Heap Big Job—37, (Dec).
*Heat Exchanger, Boot Strap Fixture Speeds Assembly of Massive—43 to 44, (Apr).
Heat Exchangers, The Repair of Aluminum—R. A. Morley and T. L. Wilkinson, 15 to 22, (Oct).
Holes in Copper Nickel, Welding of Small Diameter Deep-Drilled—F. T. Bacha, 29 to 35, (Jan).
Honeycomb for Aircraft Gas Turbine Engines, Nickel Brazing—W. P. McNeill, 32 to 35, (Oct).
Hot Pressure Welding of Aluminum Alloys—G. E. Metzger, 37 to 43, (Jan).
*Hydraulic Lift Manufacturer Depends on Inertia Welding—38, (June).
*Hyperbaric Center Simulates Underwater Welding Conditions—42 to 44, (July).
*Hyperbaric Welding at Depths to 1200 Feet—35 to 36, (Mar).

*"Indy 500," Welding, Racing Cars and the—33 to 34, (June).
*Inertia Welding, Hydraulic Lift Manufacturer Depends on—38, (June).
In-Pile Creep Experiments, Resistance Welding of Pressurized Capsules for—S. de Burbure, 23 to 30, (Nov).
Inspection of Pipeline Girth Welds, Field—G. K. Hickox, 15 to 18, (Feb).
Insulated Wire, Ultrasonic Bonding of—A. P. Hulst and C. Lasance, 19 to 25, (Feb).

Joining Copper and Copper Nickel Clad Steels—M. Prager, L. K. Keay and E. W. Thiele, Jr., 22 to 34, (Sept).

Laser Fusing of Flame Sprayed Coatings—G. C. Irons, 29 to 32, (Dec).
Learning Welding Fabrication, Welded Sculpture—New Approach to—36 to 37, (Nov).
*Light Bulb Solves Porosity Problem at Mid-Mountain—47, (Oct).

Machinery, Cold Wire GMA Welding of Motor Rotors for Mining—J. S. Clark and R. L. Queen, 15 to 21, (June).
*Machinery Manufacturers, Friction Welding is the Answer for Packaging—42, (Aug).
*Machines Result in Less Maintenance at Federal Paper, Rectifier-Type Welding—46, (Oct).
*Machine to Lay Giant Pipe Made Possible by Welding, Construction of Massive—32 to 33, (Feb).
Manufacturing Facility, 1977 Fred L. Plummer Lecture: The Development of a Major—C. P. Berg, 15 to 18, (Feb).
Maraging Steel for Structural Welding—N. Bailey and C. Roberts, 15 to 28, (Jan).
Marine Pipelines on the Semac I Lay Barge, Automatic

*A Practical Welder article

Welding of—R. L. Jones, D. K. Kiltau and K. P. Havik, 15 to 21, (Sept).
Media System, Welding Training Instructional—R. E. Long and R. M. Nielsen, Jr., 25 to 30, (Apr).
Metglas® Brazing Foil—N. DeCristofaro and C. Henschel, 33 to 38, (July)
*Mine Roof Support, Copper Surfaced Ring Key to—45, (July).
*Motor Assembly, Ultrasonic Welding Sees Growing Use in Small—41 to 43, (Sept).
Multiple Electrode Systems for Submerged Arc Welding—G. D. Uttrachi, 15 to 22, (May).

New Welding Qualification Standard, A—E. Holby, 27 to 31, (June).
Nickel Brazing Honeycomb for Aircraft Gas Turbine Engines—W. P. McNeill, 32 to 35, (Oct).
1977 Fred L. Plummer Lecture: The Development of a Major Manufacturing Facility—C. P. Berg, 15 to 18, (Mar).
*Nitrogen-Strengthened Cr-Ni-Mn Stainless Steel for Ducts Becomes Reality with GMA Welding, Use of a New—40, (Nov).
*Nuclear Plant, Flux-Cored Welding Contributes to 30% Pipe Welding Cost Reduction at Wolf Creek—40 to 44, (May).
*Nuclear Pump Welds Require a Lot of Testing, Big—40 to 41, (Sept).

OSHA Regulatory Proposals and Philosophies Pertaining to Welding Fumes—W. T. DeLong, 15 to 23, (July).
*OSHA Standards, Electrostatic Precipitator Helps Welders' Breathing Zones Meet—38, (Apr).

*Pay-Off is Welders for Automotive Manufacturer and Training Center—35, (Feb).
*Pencil Feeder for GTA "Cold Wire" Welding, Using a—40, (Apr).
Pipe Welding, Development of Induction Heat Treatment for Automatic Offshore—R. L. Jones, D. K. Kiltau and K. P. Havik, 15 to 22, (Dec).
Pipeline Girth Welds, Field Inspection of—G. K. Hickox, 15 to 18, (Feb).
*Pipeline Line-Up Clamp, Surfacing Imparts Long Life to—37 to 39, (Nov).
Pipelines on the Semac I Lay Barge, Automatic Welding of Marine—R. L. Jones, D. K. Kiltau and K. P. Havik, 15 to 21, (Sept).
*Pipe Made Possible by Welding, Construction of Massive Machine to Lay Giant—32 to 33, (Feb).
*Pipe Welding Cost Reduction at Wolf Creek Nuclear Plant, Flux-Cored Welding Contributes to 30%—40 to 44, (May).
Plasma Arc Cutting With a 40-Ton Press, Some Results from Combining—B. Rolland and H. Conn, 26 to 29, (Feb).
Plasma Arc welding 2¼Cr-1Mo Tubing—K. H. Holko, 23 to 31, (May).
*Plasma Cutting—Answer to a Problem—39 to 40, (Nov).
Plummer Lecture: The Development of a Major Manufacturing Facility, 1977 Fred L.—C. P. Berg, 15 to 18, (Mar).
*Porosity Problem at Mid-Mountain, Light Bulb Solves—47, (Oct).
Power Supplies, Solid State Remote Controllable Welding—J. E. Frederick, R. A. Morgan and L. F. Stringer, 32 to 39, (Aug).
Press, Some Results from Combining Plasma Arc Cutting With a 40-Ton—B. Rolland and H. Conn, 26 to 29, (Feb).
Pressure Welding of Aluminum Alloys, Hot—G. E. Metzger, 37 to 43, (Jan).
Pressurized Capsules for In-Pile Creep Experiments, Resistance Welding of—S. de Burbure, 23 to 30, (Nov).
Pulsed Magnetic Welding of Breeder Reactor Fuel Pin End Closures—W. F. Brown, J. Bandas, and N. T. Olson, 22 to 26, (June).

Qualification Standard, A New Welding—E. Holby, 27 to 31, (June).
*Quick Tips for Simplifying Metal Hardness Testing—D. Borgersen, 34 to 36, (June).

*Racing Cars and the "Indy 500", Welding,—33 to 34, (June).
Recent Developments in Cadmium-Free Silver Brazing Alloys—P. M. Roberts, 23 to 30, (Oct).
*Rectifier-Type Welding Machines Result in Less Maintenance at Federal Paper—46, (Oct).
Remote Controllable Welding Power Supplies, Solid State—J. E. Frederick, R. A. Morgan and L. F. Stringer, 32 to 39, (Aug).
*Repair Costs, Barge Goes Topsy Turvey to Cut—43, (Aug).
Repair of Aluminum Heat Exchangers, The—R. A. Morley and R. L. Wilkinson, 15 to 22, (Oct).
Repair of Steel Transmission Poles, Field Testing and—R. V. Collins and J. D. Black, 32 to 38, (May).
Report on Proposed Standards for Sheet Steel Structural Welding—O. W. Blodgett, 15 to 24, (Apr).
*Resistance Welding of an Aluminum Truck Cab, Tooling, Materials Evaluation, Computerized Controls—Three Keys to the—36 to 37, (Mar).
Resistance Welding of Pressurized Capsules for In-Pile Creep Experiments—S. de Burbure, 23 to 30, (Nov).
*Resistance Welding to Collapsible Steering Columns, Firewall Toe Plates Assembled by—45, (May).
*Ring Key to Mine Roof Support, Copper Surfaced—45, (July).
*Roof Support, Copper Surfaced Ring Key to Mine—45, (July).
Rotors for Mining Machinery, Cold Wire GMA Welding of Motor—J. S. Clark and R. L. Queen, 15 to 21, (June).

Saga of the Yacht "Achievement," The—H. W. Pierce, 15 to 22, (Nov).
*SAW in Finland Provides Steel Beams Weighing 30 to 50% Less Than Rolled Beams—43 to 44, (Sept).
Sheet Steel Structural Welding, Report on Proposed Standards for—O. W. Blodgett, 15 to 24, (Apr).
Silver Brazing Alloys, Recent Developments in Cadmium-Free—P. M. Roberts, 23 to 30, (Oct).
*SMA Welding with E7018 Electrode Used for Space Shuttle Launch Access Tower—34 to 35, (Feb).
*Smoke, Ancient Indian Pueblo Conquers Welding—45 to 46, (Oct).
Solid State Remote Controllable Welding Power Supplies—J. E. Frederick, R. A. Morgan and L. F. Stringer, 32 to 39, (Aug).
Solving Welding Problems at the College of San Mateo—L. DeFreitas, 15 to 24, (Aug).
Some Results from Combining Plasma Arc Cutting with a 40-Ton Press—B. Rolland and H. Conn, 26 to 29, (Feb).
*Space Shuttle Launch Access Tower, SMA Welding with E7018 Electrode Used for—34 to 35, (Feb).
*Spot Welding, Flux Cored Electrode Helps Cut Production Time 15-30% When Used for—41, (Apr).
*Stainless Steel Assemblies, Brazing—The Way to Corrosion Resistant Joints in—44 to 45, (Oct).

A Practical Welder article

*Stainless Steel for Ducts Becomes Reality with GMA Welding, Use of a New Nitrogen-Strengthened Cr-Ni-Mn—40, (Nov).
*Stainless Steel Saves 29,850 Feet of Welding, Additional 12 Inches of—38, (Mar).
Standards for Sheet Steel Structural Welding, Report on Proposed—O. W. Blodgett, 15 to 24, (Apr).
Standard, A New Welding Qualification—E. Holby, 27 to 31, (June).
*Steel Beams Weighing 30 to 50% Less Than Rolled Beams, SAW in Finland Provides—43 to 44, (Sept).
*Steering Columns, Firewall Toe Plates Assembled by Resistance Welding to Collapsible—45, (May).
Strength of Thin Thermally Sprayed Deposits, Determining the Adhesive/Cohesive—F. J. Hermanek, 31 to 35, (Nov).
Structural Welding, Maraging Steel for—N. Bailey and C. Roberts, 15 to 28, (Jan).
Structural Welding, Report on Proposed Standards for Sheet Steel—O. W. Blodgett, 15 to 24, (Apr).
*Submerged Arc Welded Heavy Tubulars Used for NASA Launch Pad Main Bearing Column—48, (Jan).
Submerged Arc Welding, Multiple Electrode Systems for—G. D. Uttrachi, 15 to 22, (May).
*Surfacing Imparts Long Life to Pipeline Line-Up Clamp—37 to 39, (Nov).

*Tanker Construction, Automatic Welding Setup Speeds—40 to 41, (July).
Testing and Repair of Steel Transmission Poles, Field—R. V. Collins and J. D. Black, 32 to 38, (May).
*Testing, Quick Tips for Simplifying Metal Hardness—R. D. Borgersen, 34 to 36, (June).
Thermally Sprayed Deposits, Determining the Adhesive/Cohesive Strength of Thin—F. J. Hermanek, 31 to 35, (Nov).
*Three Keys to the Resistance Welding of an Aluminum Truck Cab, Tooling, Materials Evaluation, Computerized Controls—36 to 37, (Mar).
*Tips for Simplifying Metal Hardness Testing, Quick—R. D. Borgersen, 34 to 36, (June).
Titanium Sandwich Structures, Diffusion Brazing—M. Prager, L. K. Keay and E. W. Thiele, Jr., 22 to 34, (Sept).
*Tooling, Materials Evaluation, Computerized Controls-Three Keys to the Resistance Welding of an Aluminum Truck Cab—36 to 37, (Mar).
*Tower, SMA Welding with E7018 Electrode Used for Space Shuttle Launch Access—34 to 35, (Feb).
*Training Center, Pay-Off is Welders for Automotive Manufacturer and—35, (Feb).
Training Instructional Media System, Welding—R. E. Long and R. M. Nielsen, Jr., 25 to 30, (Apr).
*Transformer Repair, Welded Cradle Simplifies—44, (July).
Transmission Poles, Field Testing and Repair of Steel—R. V. Collins and J. D. Black, 32 to 38, (May).
Tubing, Plasma Arc Welding 2¼Cr-1Mo—K. H. Holko, 23 to 31, (May).
*Tubulars Used for NASA Launch Pad Main Bearing Column, Submerged Arc Welded Heavy—48, (Jan).

*U.A. Local 669 Conducts Welding Program for Automatic Fire Protection People—46 to 48, (Jan).
Ultrasonic Bonding of Insulated Wire—A. P. Hulst and C. Lasance, 19 to 25, (Feb).
*Ultrasonic Welding Sees Growing Use in Small Motor Assembly—41 to 43, (Sept).
*Underwater Welding Conditions, Hyperbaric Center Simulates—42 to 44, (July).
*Use of a New Nitrogen-Strengthened Cr-Ni-Mn Stainless Steel for Ducts Becomes Reality with GMA Welding—40, (Nov).
*Using a Pencil Feeder for GTA "Cold Wire" Welding—40, (Apr).

Weldability and Sound Welding Decisions—F. B. Gatto, 28 to 33, (Mar).
*Welded Sculpture—New Approach to Learning Welding Fabrication—36 to 37, (Nov).
*Welded Cradle Simplifies Transformer Repair—44, (July).
*Welding Equipment from the USSR That Does the Job—39, (Dec).
Welding Fumes, OSHA Regulatory Proposals and Philosophies Pertaining to—W. T. DeLong, 15 to 23, (July).
Welding, Maraging Steel for Structural—N. Bailey and C. Roberts, 15 to 28, (Jan).
Welding of Marine Pipelines on the Semac I Lay Barge, Automatic—R. L. Jones, D. K. Kiltau and K. P. Havik, 15 to 21, (Sept).
Welding of Small Diameter Deep-Drilled Holes in Copper Nickel—F. T. Bacha, 29 to 35, (Jan).
*Welding, Racing Cars and the "Indy 500"—33 to 34, (June).
Welding Training Instructional Media System—R. E. Long and R. M. Nielsen, Jr., 25 to 30, (Apr).
Wire, Ultrasonic Bonding of Insulated—A. P. Hulst and C. Lasance, 19 to 25, (Feb).

Yacht "Achievement," The Saga of—H. W. Pierce, 15 to 22, (Nov).

AUTHOR INDEX

Bacha, F. T.—Welding of Small Diameter Deep-Drilled Holes in Copper Nickel, 29 to 35, (Jan).
Bailey, N. and Roberts, C.—Maraging Steel for Structural Welding, 15 to 28, (Jan).
Bandas, J., Olson, N. T. and Brown, W. F.—Pulsed Magnetic Welding of Breeder Reactor Fuel Pin End Closures, 22 to 26, (June).
Berg, C. P.—1977 Fred L. Plummer Lecture: The Development of a Major Manufacturing Facility, 15 to 18, (Mar).
Black, J. D. and Collins, R. V.—Field Testing and Repair of Steel Transmission Poles, 32 to 38, (May).
Blodgett, O. W.—Report on Proposed Standards for Sheet Steel Structural Welding, 15 to 24, (Apr).
*Borgersen, R. D.—Quick Tips for Simplifying Metal Hardness Testing, 34 to 36, (June).
Brown, W. F., Bandas, J. and Olson, N. T.—Pulsed Magnetic Welding of Breeder Reactor Fuel Pin End Closures, 22 to 26, (June).

Clark, J. S. and Queen, R. L.—Cold Wire GMA Welding of Motor Rotors for Mining Machinery, 15 to 21, (June).
Collins, R. V. and Black, J. D.—Field Testing and Repair of Steel Transmission Poles, 32 to 38, (May).
Conn, H. and Rolland, B.—Some Results from Combining Plasma Arc Cutting With a 40-Ton Press, 26 to 29, (Feb).
Cooke, W. E., Wright, T. E. and Hirschfield, J. A.—Furnace Brazing of Aluminum with a Non-Corrosive Flux, 23 to 28, (Dec).

A Practical Welder article

de Burbure, S.—Resistance Welding of Pressurized Capsules for In-Pile Creep Experiments, 23 to 30, (Nov).
DeCristofaro, N. and Henschel, C.—Metglas® Brazing Foil, 33 to 38, (July).
DeFreitas, L.—Solving Welding Problems at the College of San Mateo, 15 to 24, (Aug).
DeLong, W. T.—OSHA Regulatory Proposals and Philosophies Pertaining to Welding Fumes, 15 to 23, (July).
Dixon, R. D.—An Accurate Device for Aligning Beam Deflection Welds, 31 to 37, (Apr).
Dockus, K. F.—Fluxless Bonding Method for Aluminum Components, 32 to 35, (Oct).

Frederick, J. E., Morgan, R. A. and Stringer, L. F.—Solid State Remote Controllable Welding Power Supplies, 32 to 39, (Aug).

Gatto, F. B.—Weldability and Sound Welding Decisions, 28 to 33, (Mar).

Havik, K. P., Jones, R. L. and Kiltau, D. K.—Automatic Welding of Marine Pipelines on the Semac I Lay Barge, 15 to 21, (Sept).
Havik, K. P., Jones, R. L. and Kiltau, D. K.—Development of Induction Heat Treatment for Automatic Offshore Pipe Welding, 15 to 22, (Dec).
Henschel, C. and DeCristofaro, N.—Metglas® Brazing Foil, 33 to 38, (July).
Hermanek, F. J.—Determining the Adhesive/Cohesive Strength of Thin Thermally Sprayed Deposits, 31 to 35, (Nov).
Hickox, G. K.—Field Inspection of Pipeline Girth Welds, 15 to 18, (Feb).
Hirschfield, J. A., Cooke, W. E. and Wright, T. E.—Furnace Brazing of Aluminum with a Non-Corrosive Flux, 23 to 28, (Dec).
Holby, E.—A New Welding Qualification Standard, 27 to 31, (June).
Holko, K. H.—Friction Welding Hastelloy X to Carbon Steel, 19 to 27, (Mar).
Holko, K. H.—Plasma Arc Welding 2¼Cr-1Mo Tubing, 23 to 31, (May).
Hulst, A. P. and Lasance, C.—Ultransonic Bonding of Insulated Wire, 19 to 25, (Feb).

Irons, G. C.—Laser Fusing of Flame Sprayed Coatings, 29 to 32, (Dec).

Jones, R. L., Kiltau, D. K. and Havik, K. P.—Automatic Welding of Marine Pipelines on the Semac I Lay Barge, 15 to 21, (Sept).
Jones, R. L., Kiltau, D. K. and Havik, K. P.—Development of Induction Heat Treatment for Automatic Offshore Pipe Welding, 15 to 22, (Dec).

Keay, L. K., Thiele, Jr., E. W. and Prager, M.—Joining Copper and Copper Nickel Clad Steels, 22 to 34, (Sept).
Kiltau, D. K., Havik, K. P. and Jones, R. L.—Automatic Welding of Marine Pipelines on the Semac I Lay Barge, 15 to 21, (Sept).
Kiltau, D. K., Jones, R.L. and Havik, K. P.—Development of Induction Heat Treatment for Automatic Offshore Pipe Welding, 15 to 22, (Dec).

Lasance, C. and Hulst, A. P.—Ultrasonic Bonding of Insulated Wire, 19 to 25, (Feb).
Long, R. E. and Nielsen, Jr., R. M.—Welding Training Instructional Media System, 25 to 30, (Apr).

McNeill, W. P.—Nickel Brazing Honeycomb for Aircraft Gas Turbine Engines, 32 to 35, (Oct).
Metzger, G. E.—Hot Pressure Welding of Aluminum Alloys, 37 to 43, (Jan).
Morgan, R. A., Stringer, L. F. and Frederick, J. E.—Solid State Remote Controllable Welding Power Supplies, 32 to 39, (Aug).
Morley, R. A. and Wilkinson, T. L.—The Repair of Aluminum Heat Exchangers, 15 to 22, (Oct).

Nielsen, Jr., R. M. and Long, R. E.—Welding Training Instructional Media System, 25 to 30, (Apr).

Olson, N. T., Brown, W. F. and Bandas, J.—Pulsed Magnetic Welding of Breeder Reactor Fuel Pin End Closures, 22 to 26, (June).

Patchett, B. M. and Slater, D.—Fabrication of Distillery Spent Wash Evaporator Equipment, 25 to 31, (Aug).
Pierce, H. W.—The Saga of the Yacht "Achievement," 15 to 22, (Nov).
Prager, M., Keay, L. K. and Thiele, Jr., E. W.—Joining Copper and Copper Nickel Clad Steels, 22 to 34, (Sept).

Queen, R. L. and Clark, J. S.—Cold Wire GMA Welding of Motor Rotors for Mining Machinery, 15 to 21, (June).

Ramsey, P. W.—1978 Educational Lecture: AWS/WRC Interactions in Cooperative Welding Research, 24 to 32, (July).
Roberts, C. and Bailey, N.—Maraging Steel for Structural Welding, 15 to 28, (Jan).
Roberts, P. M.—Recent Developments in Cadmium-Free Silver Brazing Alloys, 23 to 30, (Oct).
Rolland, B. and Conn, H.—Some Results from Combining Plasma Arc Cutting With a 40-Ton Press, 26 to 29, (Feb).

Schwartz, M. M.—Diffusion Brazing Titanium Sandwich Structures, 35 to 38, (Sept).
Slater, D. and Patchett, B. M.—Fabrication of Distillery Spent Wash Evaporator Equipment, 25 to 31, (Aug).
Stringer, L. F., Frederick, J. E. and Morgan, R. A.—Solid State Remote Controllable Welding Power Supplies, 32 to 39, (Aug).

Thiele, Jr., E. W., Prager, M. and Keay, L. K.—Joining Copper and Copper Nickel Clad Steels, 22 to 34, (Sept).

Uttrachi, G. D.—Multiple Electrode Systems for Submerged Arc Welding, 15 to 22, (May).

Wilkinson, T. L. and Morley, R. A.—The Repair of Aluminum Heat Exchangers, 15 to 22, (Oct).
Wright, T. E., Cooke, W. E. and Hirschfield, J. A.—Furnace Brazing of Aluminum with a Non-Corrosive Flux, 23 to 28, (Dec).

A Practical Welder article

Part 2—WELDING RESEARCH SUPPLEMENT

SUBJECT INDEX

Aluminum Castings, Fluxless Diffusion Brazing of—J. T. Niemann and G. W. Wille, 285-s to 291-s, (Oct).

Aluminum Structures, Analysis and Control of Distortion in Welded—V. J. Papazoglou and K. Masubuchi, 251-s to 262-s, (Sept).

Aluminum Weld Materials, Strain-Controlled Fatigue Behavior of ASTM A36 and A514 Grade F Steels and 5083-0—Y. Higashida, J. D. Burk and F. V. Lawrence, Jr., 334-s to 344-s, (Nov).

Analysis and Control of Distortion in Welded Aluminum Structures—V. J. Papazoglou and K. Masubuchi, 251-s to 262-s, (Sept).

Analysis of Heat and Fluid Flow Phenomena in Electroslag Welding, An—A. H. Dilawari, T. W. Eagar and J. Szekely, 24-s to 30-s, (Jan).

Analysis of Weld Puddle Distortion and Its Effect on Penetration—E. Friedman, 161-s to 166-s, (June).

Analysis of Welded Structures, Finite Element—G. W. Krutz and L. J. Segerlind, 211-s to 216-s, (July).

Austenitic Alloy, Development of a Solidification Crack Resistant Weld Filler Metal for a Stabilized Fully—R. S. Brown and J. B. Koch, 38-s to 42-s, (Feb).

Austenitic Stainless Steel Weld Metals: Part 1—Role of Ferrite, Cryogenic Toughness of SMA—E. R. Szumachowski and H. F. Reid, 325-s to 333-s, (Nov).

Austenitic Weld Metals, The Effect of δ-Ferrite on the Creep Rupture Properties of—R. G. Thomas, 81-s to 86-s, (Mar).

Automatic Welding of 3.5% Nickel Steel—Y. Ishimaru, H. Kobayashi, T. Okada and F. Tomiyasu, 273-s to 280-s, (Sept).

Behavior of Brazed Nickel Alloy Under Cyclic and Thermal Load—U. Draugelates and K.-H. Hartmann, 298-s to 302-s, (Oct).

Bibliography on Fatigue of Weldments—H. S. Reemsnyder, 178-s to 182-s, (June).

Braze Alloy Spreading on Steel—T. A. Siewert, R. W. Heine and M. G. Lagally, 31-s to 37-s, (Feb).

Brazed Nickel Alloy Under Cyclic and Thermal Load, Behavior of—U. Draugelates and K.-H. Hartmann, 298-s to 302-s, (Oct).

Brazing a Ferritic Steel with Two Ni-S-B Braze Filler Metals, Microstructural Aspects of—R. Johnson, 93-s to 102-s, (Apr).

Brazing Molybdenum and Tungsten for High Temperature Service—L. B. Lundberg, W. C. Turner and C. G. Hoffman, 311-s to 318-s, (Oct).

Capillarity Effects in the GTA Weld Penetration of 21-6-9 Stainless Steel—J. R. Roper and D. L. Olson, 103-s to 107-s, (Apr).

Carbide Size and Distribution on Weldability of Low-Carbon Steels, Effect of—W. F. Savage, E. F. Nippes and R. J. Hagler, 355-s to 360-s, (Nov).

Cavity Temperature Distribution in Pure Metals and Alloys, Electron Beam Welding—D. A. Schauer, W. H. Giedt and S. M. Shintaku, 127-s to 133-s, (May).

Composites, Diffusion Welding Multifilament Superconductive—C. E. Witherell, 153-s to 160-s, (June).

Configurations by Impulse Decanting, Determination of GTA Weld-Puddle—W. F. Savage, E. F. Nippes and F. J. Zanner, 201-s to 210-s, (July).

Contamination Cracking in the Weld Heat-Affected Zone, Copper—W. F. Savage, E. F. Nippes and M. C. Mushala, 145-s to 152-s, (May).

Contamination During Submerged Arc Welding, Sources of Weld Metal Oxygen—T. W. Eagar, 76-s to 80-s, (Mar).

Copper, Brass and Steel, Interfacial Compositions of Silver Filler Metals on—V. R. Miller and A. E. Schwaneke, 303-s to 310-s, (Oct).

Copper-Contamination Cracking in the Weld Heat-Affected Zone—W. F. Savage, E. F. Nippes and M. C. Mushala, 145-s to 152-s, (May).

Copper Contamination, Liquid-Embrittlement of the Heat-Affected Zone by—W. F. Savage, E. F. Nippes and M. C. Mushala, 237-s to 245-s, (Aug).

Copper, Intergranular Attack of Steel by Molten—W. F. Savage, E. F. Nippes and R. P. Stanton, 9-s to 16-s, (Jan).

Correction Factor for Stress Intensity at Welded Gusset Plates, Stress Gradient—N. Zettlemoyer and J. W. Fisher, 57-s to 62-s, (Feb).

Cracking in HY-130 Steel Weldments, Hydrogen Induced—W. F. Savage, E. F. Nippes and Y. Tokunaga, 118-s to 126-s, (Apr).

Cracking in the Weld Heat-Affected Zone, Copper-Contamination—W. F. Savage, E. F. Nippes and M. C. Mushala, 145-s to 152-s, (May).

Crack Propagation in Stainless Steel Weld Metal, Fatigue and Creep—P. Shahinian, 87-s to 92-s, (Mar).

Crack Resistant Weld Filler Metal for a Stabilized Fully Austenitic Alloy, Development of a Solidification—R. S. Brown and J. B. Koch, 38-s to 42-s, (Feb).

Crack Shape Effects on Stress Intensity at Welded Details, Stress Gradient and—N. Zettlemoyer and J. W. Fisher, 246-s to 250-s, (Aug).

Creep Crack Propagation in Stainless Steel Weld Metal, Fatigue and—P. Shahinian, 87-s to 92-s, (Mar).

Creep Rupture Properties of Austenitic Weld Metals, The Effect of δ-Ferrite on the—R. G. Thomas, 81-s to 86-s, (Mar).

Cryogenic Toughness of SMA Austenitic Stainless Steel Weld Metals: Part 1—Role of Ferrite—E. R. Szumachowski and H. F. Reid, 325-s to 333-s, (Nov).

Cyclic and Thermal Load, Behavior of Brazed Nickel Alloy Under—U. Draugelates and K.-H. Hartmann, 298-s to 302-s, (Oct).

Decanting, Determination of GTA Weld-Puddle Configurations by Impulse—W. F. Savage, E. F. Nippes and F. J. Zanner, 201-s to 210-s, (July).

Determination of GTA Weld-Puddle Configurations by Impulse Decanting—W. F. Savage, E. F. Nippes and F. J. Zanner, 201-s to 210-s, (July).

Development of a Solidification Crack Resistant Weld Filler Metal for a Stabilized Fully Austenitic Alloy—R. S. Brown and J. B. Koch, 38-s to 42-s, (Feb).

Development of Nickel-Chromium-Silicon Base Filler Metals—E. Lugscheider, O. Knotek and K. Klohn, 319-s to 323-s, (Oct).

Diffusion Brazing of Aluminum Castings, Fluxless—J. T. Niemann and G. W. Wille, 285-s to 291-s, (Oct).

Diffusion Welding Multifilament Superconductive Composites—C. E. Witherell, 153-s to 160-s, (June).

Distortion and Its Effect on Penetration, Analysis of Weld Puddle—E. Friedman, 161-s to 166-s, (June).

Distortion in Welded Aluminum Structures, Analysis and

Control of—V. J. Papazoglou and K. Masubuchi, 251-s to 262-s, (Sept).
Duplex Stainless Steel Weldments, Technical Note: Stress Corrosion Cracking in—W. A. Baeslack, III, D. J. Duquette and W. F. Savage, 175-s to 177-s, (June).
Dynamic Contact Resistance of Series Spot Welds—W. F. Savage, E. F. Nippes and F. A. Wassell, 43-s to 50-s, (Feb).

Effect of Alloying Additions on the Weldability of 70 Cu-30 Ni—W. F. Savage, E. F. Nippes and J. E. Casteras, 375-s to 382-s, (Dec).
Effect of Carbide Size and Distribution on Weldability of Low-Carbon Steels—W. F. Savage, E. F. Nippes and R. J. Hagler, 355-s to 360-s, (Nov).
Effect of δ-Ferrite on the Creep Rupture Properties of Austenitic Weld Metals, The—R. G. Thomas, 81-s to 86-s, (Mar).
Effect of Heat Treatment on Type 316 Stainless Steel Weld Metal, The—R. G. Thomas and D. Yapp, 361-s to 366-s, (Dec).
Effects of Phosphorus, Sulfur and Ferrite Content on Weld Cracking of Type 309 Stainless Steel, The—J. A. Brooks and F. J. Lambert, Jr., 139-s to 143-s, (May).
Effects of Yttrium on Ti-5522S Alloy Welds, Some—J. W. Chasteen and M. H. Horowitz, 196-s to 200-s, (July).
Effects on Stress Intensity at Welded Details, Stress Gradient and Crack Shape—N. Zettlemoyer and J. W. Fisher, 246-s to 250-s, (Aug).
Electron Beam Welding Cavity Temperature Distribution in Pure Metals and Alloys—D. A. Schauer, W. H. Giedt and S. M. Shintaku, 127-s to 133-s, (May).
Electron Beam Welding of Heavy Sections, Investigation Into—W. Dietrich, 281-s to 284-s, (Sept).
Electron Beam Welding Spiking Tendency, Prediction of—D. A. Schauer and W. H. Giedt, 189-s to 195-s, (July).
Electron Beam Welding Unit, Measurement of Noise on the Beam of an—R. D. Dixon, 51-s to 56-s, (Feb).
Electroslag Welding, An Analysis of Heat and Fluid Flow Phenomena in—A. H. Dilawari, T. W. Eagar and J. Szekely, 24-s to 30-s, (Jan).
Elevated Temperature Properties of Type 308 Stainless Steel Weld Metal with Varying Ferrite Contents, Structure and—R. Berggren, N. C. Cole, G. M. Goodwin, J. O. Stiegler, G. M. Slaughter, R. J. Gray and R. T. King, 167-s to 174-s, (June).
Elevated Temperatures, Fatigue-Crack Growth in Inconel 718 Weldments at—L. A. James, 17-s to 23-s, (Jan).
Embrittlement of the Heat-Affected Zone by Copper Contamination, Liquid-Metal—W. F. Savage, E. F. Nippes and M. C. Mushala, 237-s to 245-s, (Aug).

Fatigue and Creep Crack Propagation in Stainless Steel Weld Metal—P. Shahinian, 87-s to 92-s, (Mar).
Fatigue Behavior of ASTM A36 and A514 Grade F Steels and 5083-0 Aluminum Weld Materials—Y. Higashida, J. D. Burk and F. V. Lawrence, Jr., 334-s to 344-s, (Nov).
Fatigue-Crack Growth in Inconel 718 Weldments at Elevated Temperatures—L. A. James, 17-s to 23-s, (Jan).
Fatigue of Weldments, Bibliography on—H. S. Reemsnyder, 178-s to 182-s, (June).
Ferrite Contents, Structure and Elevated Temperature Properties of Type 308 Stainless Steel Weld Metal with Varying—R. Berggren, N. C. Cole, G. M. Goodwin, J. O. Stiegler, G. M. Slaughter, R. J. Gray and R. T. King, 167-s to 174-s, (June).
Ferrite on the Creep Rupture Properties of Austenitic Weld Metals, The Effect of δ—R. G. Thomas, 81-s to 86-s, (Mar).
Ferrite, Welding Parameter Effects on Open-Arc Stainless Steel Weld Metal—D. J. Kotecki, 109-s to 117-s, (Apr).
Ferritic Steel During Submerged Arc Welding, The Solidification Mechanics of—N. Bailey and S. B. Jones, 217-s to 231-s, (Aug).
Ferritic Steel with Two Ni-S-B Braze Filler Metals, Microstructural Aspects of Brazing a—R. Johnson, 93-s to 102-s, (Apr).
Filler Metals, Development of Nickel-Chromium-Silicon Base—E. Lugscheider, O. Knotek and K. Klohn, 319-s to 323-s, (Oct).
Finite Element Analysis of Welded Structures—G. W. Krutz and L. J. Segerlind, 211-s to 216-s, (July).
Fluxless Diffusion Brazing of Aluminum Castings—J. T. Niemann and G. W. Wille, 285-s to 291-s, (Oct).
Fluxless Gray Iron Electrodes for SMAW, Weldability of Gray Iron Using—J. H. Devletian, 183-s to 188-s, (July).

Gas Tungsten Arc Weldability of High Mn Austenitic Stainless Steel—R. A. Patterson, 383-s to 386-s, (Dec).
Gray Iron Using Fluxless Gray Iron Electrodes for SMAW, Weldability of—J. H. Devletian, 183-s to 188-s, (July).
GTA Welding Parameters, Investigation of Pulsed—D. W. Becker and C. M. Adams, Jr., 134-s to 138-s, (May).
GTA Weld Penetration of 21-6-9 Stainless Steel, Capillarity Effects in the—J. R. Roper and D. L. Olson, 103-s to 107-s, (Apr).
GTA Weld-Puddle Configurations by Impulse Decanting, Determination of—W. F. Savage, E. F. Nippes and F. J. Zanner, 201-s to 210-s, (July).
Gusset Plates, Stress Gradient Correction Factor for Stress Intensity at Welded—N. Zettlemoyer and J. W. Fisher, 57-s to 62-s, (Feb).

Heat-Affected Zone by Copper Contamination, Liquid-Metal Embrittlement of the—W. F. Savage, E. F. Nippes and M. C. Mushala, 237-s to 245-s, (Aug).
Heat and Fluid Flow Phenomena in Electroslag Welding, An Analysis of—A. H. Dilawari, T. W. Eagar and J. Szekely, 24-s to 30-s, (Jan).
High Mn Austenitic Stainless Steel, Gas Tungsten Arc Weldability of—R. A. Patterson, 383-s to 386-s, (Dec).
High Temperature Service, Brazing Molybdenum and Tungsten for—L. B. Lundberg, W. C. Turner and C. G. Hoffman, 311-s to 318-s, (Oct).
Hydrogen Induced Cracking in HY-130 Steel Weldments—W. F. Savage, E. F. Nippes and Y. Tokunaga, 118-s to 126-s, (Apr).
HY-130 Steel Welds, A Metallurgical Characterization of—J. Stoop and E. A. Metzbower, 345-s to 353-s, (Nov).

Improved Solder Alloy for Printed Circuit Board Application—M. C. Denlinger and D. W. Becker, 292-s to 297-s, (Oct).
Impulse Decanting, Determination of GTA Weld-Puddle Configurations by—W. F. Savage, E. F. Nippes and F. J. Zanner, 201-s to 210-s, (July).
Inconel 718 Weldments at Elevated Temperatures, Fatigue-Crack Growth in—L. A. James, 17-s to 23-s, (Jan).
Inconel 625 by the Gas Metal Arc Welding-Pulsed Arc Process, Surfacing of 3.25% Nickel Steel with—D. F. Hasson, C. Zanis, L. Aprigliano and C. Fraser, 1-s to 8-s, (Jan).
Interfacial Compositions of Silver Filler Metals on Copper, Brass and Steel—V. R. Miller and A. E. Schwaneke, 303-s to 310-s, (Oct).
Intergranular Attack of Steel by Molten Copper—W. F.

Savage, E. F. Nippes and R. P. Stanton, 9-s to 16-s, (Jan).
Investigation Into Electron Beam Welding of Heavy Sections—W. Dietrich, 281-s to 284-s, (Sept).
Investigation of Pulsed GTA Welding Parameters—D. W. Becker and C. M. Adams, Jr., 134-s to 138-s, (May).
Iron Using Fluxless Gray Iron Electrodes for SMAW, Weldability of Gray—J. H. Devletian, 183-s to 188-s, (July).

Liquid-Metal Embrittlement of the Heat-Affected Zone by Copper Contamination—W. F. Savage, E. F. Nippes and M. C. Mushala, 237-s to 245-s, (Aug).

Measurement of Noise on the Beam of an Electron Beam Welding Unit—R. D. Dixon, 51-s to 56-s, (Feb).
Metallurgical Characterization of HY-130 Steel Welds, A—J. Stoop and E. A. Metzbower, 345-s to 353-s, (Nov).
Microstructural Aspects of Brazing a Ferritic Steel with Two Ni-S-B Braze Filler Metals—R. Johnson, 93-s to 102-s, (Apr).
Microstructural Progression in As-Deposited Weld Metal, A Study of—C. L. Choi and D. C. Hill, 232-s to 236-s, (Aug).
Molybdenum and Tungsten for High Temperature Service, Brazing—L. B. Lundberg, W. C. Turner and C. G. Hoffman, 311-s to 318-s, (Oct).
Multifilament Superconductive Composites, Diffusion Welding—C. E. Witherell, 153-s to 160-s, (June).

Nickel-Chromium-Silicon Base Filler Metals, Development of—E. Lugscheider, O. Knotek and K. Klohn, 319-s to 323-s, (Oct).
Nickel Steel, Automatic Welding of 3.5%—Y. Ishimaru, H. Kobayashi, T. Okada and F. Tomiyasu, 273-s to 280-s, (Sept).
Nickel Steel, Producing Strong Welds in 9%—W. G. Welland, 263-s to 272-s, (Sept).
Nickel Steel with Inconel 625 by the Gas Metal Arc Welding-Pulsed Arc Process, Surfacing of 3.25%—D. F. Hasson, C. Zanis, L. Aprigliano and C. Fraser, 1-s to 8-s, (Jan).
Ni-S-B Braze Filler Metals, Microstructural Aspects of Brazing a Ferritic Steel with Two—R. Johnson, 93-s to 102-s, (Apr).
Noise on the Beam of an Electron Beam Welding Unit, Measurement of—R. D. Dixon, 51-s to 56-s, (Feb).

Open-Arc Stainless Steel Weld Metal Ferrite, Welding Parameter Effects on—D. J. Kotecki, 109-s to 117-s, (Apr).
Optimization of Parameters for Two-Wire AC-AC Submerged Arc Welding—P. J. Konkol and G. F. Koons, 367-s to 374-s, (Dec).
Oxygen and Toughness in Submerged Arc Welding, Slag/Metal Interaction,—T. H. North, H. B. Bell, A. Nowicki and I. Craig, 63-s to 75-s, (Mar).
Oxygen Contamination During Submerged Arc Welding, Sources of Weld Metal—T. W. Eagar, 76-s to 80-s, (Mar).

Penetration, Analysis of Weld Puddle Distortion and Its Effect on—E. Friedman, 161-s to 166-s, (June).
Penetration of 21-6-9 Stainless Steel, Capillarity Effects in the GTA Weld—J. R. Roper and D. L. Olson, 103-s to 107-s, (Apr).
Phosphorus, Sulfur and Ferrite Content on Weld Cracking of Type 309 Stainless Steel, The Effects of—J. A. Brooks and F. J. Lambert, Jr., 139-s to 143-s, (May).
Prediction of Electron Beam Welding Spiking Tendency—D. A. Schauer and W. H. Giedt, 189-s to 195-s, (July).
Printed Circuit Board Application, Improved Solder Alloy for—M. C. Denlinger and D. W. Becker, 292-s to 297-s, (Oct).
Producing Strong Welds in 9% Nickel Steel—W. G. Welland, 263-s to 272-s (Sept).
Progression in As-Deposited Weld Metal, A Study of Microstructural—C. L. Choi and D. C. Hill, 232-s to 236-s, (Aug).
PSI Guest Editorial—K. H. Koopman, 182-s, (June).
Puddle Distortion and Its Effect on Penetration, Analysis of Weld—E. Friedman, 161-s to 166-s, (June).
Pulsed GTA Welding Parameters, Investigation of—D. W. Becker and C. M. Adams, Jr., 134-s to 138-s, (May).

Resistance of Series Spot Welds, Dynamic Contact—W. F. Savage, E. F. Nippes and F. A. Wassell, 43-s to 50-s, (Feb).

Silver Filler Metals on Copper, Brass and Steel, Interfacial Compositions of—V. R. Miller and A. E. Schwaneke, 303-s to 310-s, (Oct).
Slag/Metal Interaction, Oxygen and Toughness in Submerged Arc Welding—T. H. North, H. B. Bell, A. Nowicki and I. Craig, 63-s to 75-s, (Mar).
Solder Alloy for Printed Circuit Board Application, Improved—M. C. Denlinger and D. W. Becker, 292-s to 297-s, (Oct).
Solidification Mechanics of Ferritic Steel During Submerged Arc Welding, The—N. Bailey and S. B. Jones, 217-s to 231-s. (Aug).
Some Effects of Yttrium on Ti-5522S Alloy Welds—J. W. Chasteen and M. H. Horowitz, 196-s to 200-s, (July).
Sources of Weld Metal Oxygen Contamination During Submerged Arc Welding—T. W. Eagar, 76-s to 80-s, (Mar).
Spiking Tendency, Prediction of Electron Beam Welding—D. A. Schauer and W. H. Giedt, 189-s to 195-s, (July).
Spot Welds, Dynamic Contact Resistance of—W. F. Savage, E. F. Nippes and F. A. Wassell, 43-s to 50-s, (Feb).
Spreading on Steel, Braze Alloy—T. A. Siewert, R. W. Heine and M. G. Lagally, 31-s to 37-s, (Feb).
Stainless Steel, Capillarity Effects in the GTA Weld Penetration of 21-6-9—J. R. Roper and D. L. Olson, 103-s to 107-s, (Apr).
Stainless Steel, The Effects of Phosphorus, Sulfur and Ferrite Content on Weld Cracking of Type 309—J. A. Brooks and F. J. Lambert, Jr., 139-s to 143-s, (May).
Stainless Steel Weld Metal, The Effect of Heat Treatment on Type 316—R. G. Thomas and D. Yapp, 361-s to 366-s, (Dec).
Stainless Steel Weldments, Technical Note: Stress Corrosion Cracking In Duplex—W. A. Baeslack, III, D. J. Duquette and W. F. Savage, 175-s to 177-s, (June).
Stainless Steel Weld Metal, Fatigue and Creep Crack Propagation in—P. Shahinian, 87-s to 92-s, (Mar).
Stainless Steel Weld Metal Ferrite, Welding Parameter Effects on Open-Arc—D. J. Kotecki, 109-s to 117-s, (Apr).
Stainless Steel Weld Metals: Part 1—Role of Ferrite, Cryogenic Toughness of SMA Austenitic—E. R. Szumachowski, and H. F. Reid, 325-s to 333-s, (Nov).
Stainless Steel Weld Metal with Varying Ferrite Contents, Structure and Elevated Temperature Properties of Type 308—R. Berggren, N. C. Cole, G. M. Goodwin, J. O. Stiegler, G. M. Slaughter, R. J. Gray and R. T. King, 167-s to 174-s, (June).
Steel, Braze Alloy Spreading on—T. A. Siewert, R. W. Heine and M. G. Lagally, 31-s to 37-s, (Feb).
Steel by Molten Copper, Intergranular Attack of—W. F. Savage, E. F. Nippes, R. P. Stanton, 9-s to 16-s, (Jan).
Steels and 5083-0 Aluminum Weld Materials, Strain-

Controlled Fatigue Behavior of ASTM A36 and A514 Grade F—Y. Higashida, J. D. Burk and F. V. Lawrence, Jr., 334-s to 344-s, (Nov).
Steels, Effect of Carbide Size and Distribution on Weldability of Low-Carbon—W. F. Savage, E. F. Nippes and R. J. Hagler, 355-s to 360-s, (Nov).
Steel Weldments, Hydrogen Induced Cracking in HY-130—W. F. Savage, E. F. Nippes and Y. Tokunaga, 118-s to 126-s, (Apr).
Steel Welds, A Metallurgical Characterization of HY-130—J. Stoop and E. A. Metzbower, 345-s to 353-s, (Nov).
Strain-Controlled Fatigue Behavior of ASTM A36 and A514 Grade F Steels and 5083-0 Aluminum Weld Materials—Y. Higashida, J. D. Burk and F. V. Lawrence, Jr., 334-s to 344-s, (Nov).
Stress Corrosion Cracking in Duplex Stainless Steel Weldments, Technical Note—W. A. Baeslack, III, D. J. Duquette and W. F. Savage, 175-s to 177-s, (June).
Stress Gradient and Crack Shape Effects on Stress Intensity at Welded Details—N. Zettlemoyer and J. W. Fisher, 246-s to 250-s, (Aug).
Stress Gradient Correction Factor for Stress Intensity at Welded Gusset Plates—N. Zettlemoyer and J. W. Fisher, 57-s to 62-s, (Feb).
Stress Intensity at Welded Details, Stress Gradient and Crack Shape Effects on—N. Zettlemoyer and J. W. Fisher, 246-s to 250-s, (Aug).
Structure and Elevated Temperature Properties of Type 308 Stainless Steel Weld Metal with Varying Ferrite Contents—R. Berggren, N. C. Cole, G. M. Goodwin, J. O. Stiegler, G. M. Slaughter, R. J. Gray and R. T. King, 167-s to 174-s, (June).
Structures, Finite Element Analysis of Welded—G. W. Krutz and L. J. Segerlind, 211-s to 216-s, (July).
Study of Microstructural Progression in As-Deposited Weld Metal, A—C. L. Choi and D. C. Hill, 232-s to 236-s, (Aug).
Submerged Arc Welding, Optimization of Parameters for Two-Wire AC-AC—P. J. Konkol and G. F. Koons, 367-s to 374-s, (Dec).
Submerged Arc Welding, Slag/Metal Interaction, Oxygen and Toughness in—T. H. North, H. B. Bell, A. Nowicki and I. Craig, 63-s to 75-s, (Mar).
Submerged Arc Welding, Sources of Weld Metal Oxygen Contamination During—T. W. Eagar, 76-s to 80-s, (Mar).
Submerged Arc Welding, The Solidification Mechanics of Ferritic Steel During—N. Bailey and S. B. Jones, 217-s to 231-s, (Aug).
Superconductive Composites, Diffusion Welding Multifilament—C. E. Witherell, 153-s to 160-s, (June).
Surfacing of 3.25% Nickel Steel with Inconel 625 by the Gas Metal Arc Welding-Pulsed Arc Process—D. F. Hasson, C. Zanis, L. Aprigliano and C. Fraser, 1-s to 8-s, (Jan).

Technical Note: Stress Corrosion Cracking in Duplex Stainless Steel Weldments—W. A. Baeslack, III, D. J. Duquette and W. F. Savage, 175-s to 177-s, (June).
Temperature Distribution in Pure Metals and Alloys, Electron Beam Welding Cavity—D. A. Schauer, W. H. Giedt and S. M. Shintaku, 127-s to 133-s, (May).
Temperature Properties of Type 308 Stainless Steel Weld Metal with Varying Ferrite Contents, Structure and Elevated—R. Berggren, N. C. Cole, G. M. Goodwin, J. O. Stiegler, G. M. Slaughter, R. J. Gray and R. T. King, 167-s to 174-s, (June).
Ti-5522S Alloy Welds, Some Effects of Yttrium on—J. W. Chasteen and M. H. Horowitz, 196-s to 200-s, (July).
Toughness in Submerged Arc Welding, Slag/Metal Interaction, Oxygen and—T. H. North, H. B. Bell, A. Nowicki and I. Craig, 63-s to 75-s, (Mar).
Toughness of SMA Austenitic Stainless Steel Weld Metals: Part 1—Role of Ferrite, Cryogenic—E. R. Szumachowski and H. F. Reid, 325-s to 333-s, (Nov).
Tungsten for High Temperature Service, Brazing Molybdenum and—L. B. Lundberg, W. C. Turner and C. G. Hoffman, 311-s to 318-s, (Oct).

Weldability of Gray Iron Using Fluxless Gray Iron Electrodes for SMAW—J. H. Devletian, 183-s to 188-s, (July).
Weldability of Low-Carbon Steels, Effect of Carbide Size and Distribution on—W. F. Savage, E. F. Nippes and R. J. Hagler, 355-s to 360-s, (Nov).
Weldability of 70 Cu-30 Ni, Effect of Alloying Additions on the—W. F. Savage, E. F. Nippes and J. E. Casteras, 375-s to 382-s, (Dec).
Welding of 3.5% Nickel Steel, Automatic—Y. Ishimaru, H. Kobayashi, T. Okada and F. Tomiyasu, 273-s to 280-s, (Sept).
Welding Parameter Effects on Open-Arc Stainless Steel Weld Metal Ferrite—D. J. Kotecki, 109-s to 117-s, (Apr).
Weldments, Bibliography on Fatigue of—H. S. Reemsnyder, 178-s to 182-s, (June).
Weldments, Hydrogen Induced Cracking in HY-130 Steel—W. F. Savage, E. F. Nippes and Y. Tokunaga, 118-s to 126-s, (Apr).

Yttrium on Ti-5522S Alloy Welds, Some Effects of—J. W. Chasteen and M. H. Horowitz, 196-s to 200-s, (July).

AUTHOR INDEX

Adams, Jr., C. M. and Becker, D. W.—Investigation of Pulsed GTA Welding Parameters, 134-s to 138-s, (May).
Aprigliano, L., Fraser, C., Hasson, D. F. and Zanis, C.—Surfacing of 3.25% Nickel Steel with Inconel 625 by the Gas Metal Arc Welding-Pulsed Arc Process, 1-s to 8-s, (Jan).

Baeslack, III, W. A., Duquette, D. J. and Savage, W. F.—Technical Note: Stress Corrosion Cracking in Duplex Stainless Steel Weldments, 175-s to 177-s, (June).
Bailey, N. and Jones, S. B.—The Solidification Mechanics of Ferritic Steel During Submerged Arc Welding, 217-s to 231-s, (Aug).
Becker, D. W. and Adams, Jr., C. M.—Investigation of Pulsed GTA Welding Parameters, 134-s to 138-s, (May).
Becker, D. W. and Denlinger, M. C.—Improved Solder Alloy for Printed Circuit Board Application, 292-s to 297-s, (Oct).
Bell, H. B., Nowicki, A., Craig, I. and North, T. H.—Slag/Metal Interaction, Oxygen, and Toughness in Submerged Arc Welding, 63-s to 75-s, (Mar).
Berggren, R., Cole, N. C., Goodwin, G. M., Stiegler, J. O., Slaughter, G. M., Gray, R. J. and King, R. T.—Structure and Elevated Temperature Properties of Type 308 Stainless Steel Weld Metal with Varying Ferrite Contents, 167-s to 174-s, (June).
Brooks, J. A. and Lambert, Jr., F. J.—The Effects of Phosphorus, Sulfur and Ferrite Content on Weld Cracking of

Type 309 Stainless Steel, 139-s to 143-s, (May).
Brown, R. S. and Koch, J. B.—Development of a Solidification Crack Resistant Weld Filler Metal for a Stabilized Fully Austenitic Alloy, 38-s to 42-s, (Feb).
Burk, J. D., Higashida, Y. and Lawrence, Jr., F. V.—Strain-Controlled Fatigue Behavior of ASTM A36 and A514 Grade F Steels and 5083-0 Aluminum Weld Materials—334-s to 344-s, (Nov).

Casteras, J. E., Savage, W. F. and Nippes, E. F.—Effect of Alloying Additions on the Weldability of 70 Cu-30 Ni, 375-s to 382-s, (Dec).
Chasteen, J. W. and Horowitz, M. H.—Some Effects of Yttrium on Ti-5522S Alloy Welds, 196-s to 200-s, (July).
Choi, C. L. and Hill, D. C.—A Study of Microstructural Progression in As-Deposited Weld Metal, 232-s to 236-s, (Aug).
Cole, N. C., Goodwin, G. M., Stiegler, J. O., Slaughter, G. M., Gray, R. J., King, R. T. and Berggren, R.—Structure and Elevated Temperature Properties of Type 308 Stainless Steel Weld Metal with Varying Ferrite Contents, 167-s to 174-s, (June).
Craig, I., North, T. H., Bell, H. B. and Nowicki, A.—Slag/Metal Interaction, Oxygen and Toughness in Submerged Arc Welding, 63-s to 75-s, (Mar).

Denlinger, M. C. and Becker, D. W.—Improved Solder Alloy for Printed Circuit Board Application, 292-s to 297-s, (Oct).
Devletian, J. H.—Weldability of Gray Iron Using Fluxless Gray Iron Electrodes for SMAW, 183-s to 188-s, (July).
Dietrich, W.—Investigation Into Electron Beam Welding of Heavy Sections, 281-s to 284-s, (Sept).
Dilawari, A. H., Eagar, T. W. and Szekely, J.—An Analysis of Heat and Fluid Flow Phenomena in Electroslag Welding, 24-s to 30-s, (Jan).
Dixon, R. D.—Measurement of Noise on the Beam of an Electron Beam Welding Unit, 51-s to 56-s, (Feb).
Draugelates, U. and Hartmann, K. -H.—Behavior of Brazed Nickel Alloy Under Cyclic and Thermal Load, 298-s to 302-s, (Oct).
Duquette, D. J., Savage, W. F. and Baeslack, III, W. A.—Technical Note: Stress Corrosion Cracking in Duplex Stainless Steel Weldments, 175-s to 177-s, (June).

Eagar, T. W.—Sources of Weld Metal Oxygen Contamination During Submerged Arc Welding, 76-s to 80-s, (Mar).
Eagar, T. W., Szekely, J. and Dilawari, A. H.—An Analysis of Heat and Fluid Flow Phenomena in Electroslag Welding, 24-s to 30-s, (Jan).

Fisher, J. W. and Zettlemoyer, N.—Stress Gradient and Crack Shape Effects on Stress Intensity at Welded Details, 246-s to 250-s, (Aug).
Fisher, J. W. and Zettlemoyer, N.—Stress Gradient Correction Factor for Stress Intensity at Welded Gusset Plates, 57-s to 62-s, (Feb).
Fraser, C., Hasson, D. F., Zanis, L. and Aprigliano, L.—Surfacing of 3.25% Nickel Steel with Inconel 625 by the Gas Metal Arc Welding-Pulsed Arc Process, 1-s to 8-s, (Jan).
Friedman, E.—Analysis of Weld Puddle Distortion and Its Effect on Penetration, 161-s to 166-s, (June).

Giedt, W. H. and Schauer, D. A.—Prediction of Electron Beam Welding Spiking Tendency, 189-s to 195-s, (July).
Giedt, W. H., Shintaku, S. M. and Schauer, D. A.—Electron Beam Welding Cavity Temperature Distribution in Pure Metals and Alloys, 127-s to 133-s, (May).
Goodwin, G.M., Stiegler, J. O., Slaughter, G. M., Gray, R. J., King, R. T., Berggren, R. and Cole, N. C.—Structure and Elevated Temperature Properties of Type 308 Stainless Steel Weld Metal with Varying Ferrite Contents, 167-s to 174-s, (June).
Gray, R. J., King, R. T., Berggren, R., Cole, N. C., Goodwin, G. M., Stiegler, J. O. and Slaughter, G. M.—Structure and Elevated Temperature Properties of Type 308 Stainless Steel Weld Metal with Varying Ferrite Contents, 167-s to 174-s, (June).

Hagler, R. J., Savage, W. F. and Nippes, E. F.—Effect of Carbide Size and Distribution on Weldability of Low-Carbon Steels, 355-s to 360-s, (Nov).
Hartmann, K. -H. and Draugelates, U.—Behavior of Brazed Nickel Alloy Under Cyclic and Thermal Load, 298-s to 302-s, (Oct).
Hasson, D. F., Zanis, C., Aprigliano, L. and Fraser, C.—Surfacing of 3.25% Nickel Steel with Inconel 625 by the Gas Metal Arc Welding-Pulsed Arc Process, 1-s to 8-s, (Jan).
Heine, R. W., Lagally, M. G. and Siewert, T. A.—Braze Alloy Spreading on Steel, 31-s to 37-s, (Feb).
Higashida, Y., Burk, J. D. and Lawrence, Jr., F. V.—Strain-Controlled Fatigue Behavior of ASTM A36 and A514 Grade F Steels and 5083-0 Aluminum Weld Materials, 334-s to 344-s, (Nov).
Hill, D. C. and Choi, C. L.—A Study of Microstructural Progression in As-Deposited Weld Metal, 232-s to 236-s, (Aug).
Hoffman, C. G., Lundberg, L. B. and Turner, W. C.—Brazing Molybdenum and Tungsten for High Temperature Service, 311-s to 318-s, (Oct).
Horowitz, M. H. and Chasteen J. W.—Some Effects of Yttrium on Ti-5522S Alloy Welds, 196-s to 200-s, (July).

Ishimaru, Y., Kobayashi, H., Okada, T. and Tomiyasu, F.—Automatic Welding of 3.5% Nickel Steel, 273-s to 280-s, (Sept).

James, L. A.—Fatigue-Crack Growth in Inconel 718 Weldments at Elevated Temperatures, 17-s to 23-s, (Jan).
Johnson, R.—Microstructural Aspects of Brazing a Ferritic Steel with Two Ni-S-B Braze Filler Metals, 93-s to 102-s, (Apr).
Jones, S. B. and Bailey, N.—The Solidification Mechanics of Ferritic Steel During Submerged Arc Welding, 217-s to 231-s, (Aug).

King, R. T., Berggren, R., Cole, N. C., Goodwin, G. M., Stiegler, J. O., Slaughter, G. M. and Gray, R. J.—Structure and Elevated Temperature Properties of Type 308 Stainless Steel Weld Metal with Varying Ferrite Contents, 167-s to 174-s, (June).
Kobayashi, H., Okada, T., Tomiyasu, F. and Ishimaru, Y.—Automatic Welding of 3.5% Nickel Steel, 273-s to 280-s, (Sept).
Koch, J. B. and Brown, R. S.—Development of a Solidification Crack Resistant Weld Filler Metal for a Stabilized Fully Austenitic Alloy, 38-s to 42-s, (Feb).
Konkol, P. J. and Koons, G. F.—Optimization of Parameters for Two-Wire AC-AC Submerged Arc Welding, 367-s to 374-s, (Dec).
Koons, G. F. and Konkol, P. J.—Optimization of Parameters for Two-Wire AC-AC Submerged Arc Welding, 367-s to 374-s, (Dec).
Knotek, O., Klohn, K. and Lugscheider, E.—Development of Nickel-Chromium-Silicon Base Filler Metals, 319-s to 323-s, (Oct).

Koopman, K. H.—PSI Guest Editorial, 182-s, (June).
Kotecki, D. J.—Welding Parameter Effects on Open-Arc Stainless Steel Weld Metal Ferrite, 109-s to 117-s, (Apr).
Krutz, G. W. and Segerlind, L. J.—Finite Element Analysis of Welded Structures, 211-s to 216-s, (July).

Lagally, M. G., Siewert, T. A. and Heine, R. W.—Braze Alloy Spreading on Steel, 31-s to 37-s, (Feb).
Lambert, Jr., F. J., and Brooks, J. A.—The Effects of Phosphorus, Sulfur and Ferrite Content on Weld Cracking of Type 309 Stainless Steel, 139-s to 143-s, (May).
Lawrence, Jr., F. V., Higashida J. D. and Burk, J. D.—Strain Controlled Fatigue Behavior of ASTM A36 and A514 Grade F Steels and 5083-0 Aluminum Weld Materials—334-s to 344-s, (Nov).
Lundberg, L. B., Turner, W. C. and Hoffman, C. G.—Brazing Molybdenum and Tungsten for High Temperature Service, 311-s to 318-s, (Oct).
Lugscheider, E., Knotek, O. and Klohn, K.—Development of Nickel-Chromium-Silicon Base Filler Metals, 319-s to 323-s, (Oct).

Masubuchi, K. and Papazoglou, V. J.—Analysis and Control of Distortion in Welded Aluminum Structures, 251-s to 262-s, (Sept).
Metzbower, E. A. and Stoop, J.—A Metallurgical Characterization of HY-130 Steel Welds, 345-s to 353-s, (Nov).
Miller, V. R. and Schwaneke, A. E.—Interfacial Compositions of Silver Filler Metals on Copper, Brass and Steel, 303-s to 310-s, (Oct).
Mushala, M. C., Savage, W. F. and Nippes, E. F.—Copper-Contamination Cracking in the Weld Heat-Affected Zone, 145-s to 152-s, (May).
Mushala, M. C., Savage, W. F. and Nippes, E. F.—Liquid-Metal Embrittlement of the Heat-Affected Zone by Copper Contamination, 237-s to 245-s, (Aug).

Niemann, J. T. and Wille, G. W.—Fluxless Diffusion Brazing of Aluminum Castings, 285-s to 291-s, (Oct).
Nippes, E. F., Mushala, M. C. and Savage, W. F.—Copper-Contamination Cracking in the Weld Heat-Affected Zone, 145-s to 152-s, (May).
Nippes, E. F., Mushala, M. C. and Savage, W. F.—Liquid-Metal Embrittlement of the Heat-Affected Zone by Copper Contamination, 237-s to 245-s, (Aug).
Nippes, E. F., Savage, W. F. and Casteras, J. E.—Effect of Alloying Additions on the Weldability of 70 Cu-30 Ni, 375-s to 382-s, (Dec).
Nippes, E. F., Savage, W. F. and Hagler, R. J.—Effect of Carbide Size and Distribution on Weldability of Low-Carbon Steels, 355-s to 360-s, (Nov).
Nippes, E. F., Stanton, R. P. and Savage, W. F.—Intergranular Attack of Steel by Molten Copper, 9-s to 16-s, (Jan).
Nippes, E. F., Tokunaga, Y. and Savage, W. F.—Hydrogen Induced Cracking in HY-130 Steel Weldments, 118-s to 126-s, (Apr).
Nippes, E. F., Wassell, F. A. and Savage, W. F.—Dynamic Contact Resistance of Series Spot Welds, 43-s to 50-s, (Feb).
Nippes, E. F., Zanner, F. J. and Savage, W. F.—Determination of GTA Weld-Puddle Configurations by Impulse Decanting, 201-s to 210-s, (July).
North, T. H., Bell, H. B., Nowicki, A. and Craig, I.—Slag/Metal Interaction, Oxygen and Toughness in Submerged Arc Welding, 63-s to 75-s, (Mar).
Nowicki, A., Craig, I., North, T. H. and Bell, H. B.—Slag/Metal Interaction, Oxygen and Toughness in Submerged Arc Welding, 63-s to 75-s, (Mar).

Okada, T., Tomiyasu, F., Ishimaru, Y. and Kobayashi, H.—Automatic Welding of 3.5% Nickel Steel, 273-s to 280-s, (Sept).
Olson, D. L. and Roper, J. R.—Capillarity Effects in the GTA Weld Penetration of 21-6-9 Stainless Steel, 103-s to 107-s, (Apr).

Papazoglou, V. J. and Masubuchi, K.—Analysis and Control of Distortion in Welded Aluminum Structures, 251-s to 262-s, (Sept).
Patterson, R. A.—Gas Tungsten Arc Weldability of High Mn Austenitic Stainless Steel, 383-s to 386-s, (Dec).

Reemsnyder, H. S.—Bibliography on Fatigue of Weldments, 178-s to 181-s, (June).
Reid, H. F. and Szumachowski, E. R.—Cryogenic Toughness of SMA Austenitic Stainless Steel Weld Metals: Part 1—Role of Ferrite, 325-s to 333-s, (Nov).
Roper, J. R. and Olson, D. L.—Capillarity Effects in the GTA Weld Penetration of 21-6-9 Stainless Steel, 103-s to 107-s, (Apr).

Savage, W. F., Baeslack, III, W. A., and Duquette, D. J.—Technical Note: Stress Corrosion Cracking in Duplex Stainless Steel Weldments, 175-s to 177-s, (June).
Savage, W. F., Nippes, E. F. and Casteras, J. E.—Effect of Alloying Additions on the Weldability of 70 Cu-30 Ni, 375-s to 382-s, (Dec).
Savage, W. F., Nippes, E. F. and Hagler, R. J.—Effect of Carbide Size and Distribution on Weldability on Low-Carbon Steels, 355-s to 360-s, (Nov).
Savage, W. F., Nippes E. F. and Mushala, M. C.—Copper-Contamination Cracking in the Weld Heat-Affected Zone, 145-s to 152-s, (May).
Savage, W. F., Nippes, E. F. and Mushala, M. C.—Liquid-Metal Embrittlement of the Heat-Affected Zone by Copper Contamination, 237-s to 245-s, (Aug).
Savage, W. F., Nippes, E. F. and Stanton, R. P.—Intergranular Attack of Steel by Molten Copper, 9-s to 16-s, (Jan).
Savage, W. F., Nippes, E. F. and Tokunaga, Y.—Hydrogen Induced Cracking in HY-130 Steel Weldments, 118-s to 126-s, (Apr).
Savage, W. F., Nippes, E. F. and Wassell, F. A.—Dynamic Contact Resistance of Series Spot Welds, 43-s to 50-s, (Feb).
Savage, W. F., Nippes, E. F. and Zanner, F. J.—Determination of GTA Weld-Puddle Configurations by Impulse Decanting, 201-s to 210-s, (July).
Schauer, D. A., Giedt, W. H. and Shintaku, S. M.—Electron Beam Welding Cavity Temperature Distribution in Pure Metals and Alloys, 127-s to 133-s, (May).
Schauer, D. A. and Giedt, W. H.—Prediction of Electron Beam Welding Spiking Tendency, 189-s to 195-s, (July).
Schwaneke, A. E. and Miller, V. R.—Interfacial Compositions of Silver Filler Metals on Copper, Brass and Steel, 303-s to 310-s, (Oct).
Segerlind, L. J. and Krutz, G. W.—Finite Element Analysis of Welded Structures, 211-s to 216-s, (July).
Shahinian, P.—Fatigue and Creep Crack Propagation in Stainless Steel Weld Metal, 87-s to 92-s, (Mar).
Shintaku, S. M., Schauer, D. A. and Giedt, W. H.—Electron Beam Welding Cavity Temperature Distribution in Pure Metals and Alloys, 127-s to 133-s, (May).
Siewert, T. A., Heine, R. W. and Lagally, M. G.—Braze Alloy Spreading on Steel, 31-s to 37-s, (Feb).
Slaughter, G. M., Gray, R. J., King, R. T., Berggren, R., Cole, N. C., Goodwin, G. M., and Stiegler, J. O.—Structure and Elevated Temperature Properties of Type 308 Stainless Steel Weld Metal with Varying Ferrite Contents, 167-s

to 174-s, (June).
Stanton, R. P., Savage, W. F. and Nippes, E. F.—Intergranular Attack of Steel by Molten Copper, 9-s to 16-s, (Jan).
Stiegler, J. O., Slaughter, G. M., Gray, R. J., King, R. T., Berggren, R., Cole, N. C. and Goodwin, G. M.—Structure and Elevated Temperature Properties of Type 308 Stainless Steel Weld Metal with Varying Ferrite Contents, 167-s to 174-s, (June).
Stoop, J. and Metzbower, E. A.—A Metallurgical Characterization of HY-130 Steel Welds, 345-s to 353-s, (Nov).
Szekely, J., Dilawari, A. H. and Eagar, T. W.—An Analysis of Heat and Fluid Flow Phenomena in Electroslag Welding, 24-s to 30-s, (Jan).
Szumachowski, E. R. and Reid, H. F.—Cryogenic Toughness of SMA Austenitic Stainless Steel Weld Metals: Part 1—Role of Ferrite, 325-s to 333-s, (Nov).

Thomas, R. G.—The Effect of δ-Ferrite on the Creep Rupture Properties of Austenitic Weld Metals, 81-s to 86-s, (Mar).
Thomas, R. G. and Yapp, D.—The Effect of Heat Treatment on Type 316 Stainless Steel Weld Metal, 361-s to 366-s, (Dec).
Tokunaga, Y., Savage, W. F. and Nippes, E. F.—Hydrogen Induced Cracking in HY-130 Steel Weldments, 118-s to 126-s, (Apr).
Tomiyasu, F., Ishimaru, Y., Kobayashi, H. and Okada, T.—Automatic Welding of 3.5% Nickel Steel, 273-s to 280-s, (Sept).
Turner, W. C., Hoffman, C. G. and Lundberg, L. B.—Brazing Molybdenum and Tungsten for High Temperature Service, 311-s to 318-s, (Oct).

Wassell, F. A., Savage, W. F. and Nippes, E. F.—Dynamic Contact Resistance of Series Spot Welds, 43-s to 50-s, (Feb).
Welland, W. G.—Producing Strong Welds in 9% Nickel Steel, 263-s to 272-s, (Sept).
Wille, G. W. and Niemann, J. T.—Fluxless Diffusion Brazing of Aluminum Castings, 285-s to 291-s, (Oct).
Witherell, C. E.—Diffusion Welding Multifilament Superconductive Composites, 153-s to 160-s, (June).

Yapp, D. and Thomas, R. G.—The Effect of Heat Treatment on Type 316 Stainless Steel Weld Metal, 361-s to 366-s, (Dec).

Zanis, C., Aprigliano, L., Fraser, C. and Hasson, D. F.—Surfacing of 3.25% Nickel Steel with Inconel 625 by the Gas Metal Arc Welding-Pulsed Arc Process, 1-s to 8-s, (Jan).
Zanner, F. J., Savage, W. F. and Nippes, E. F.—Determination of GTA Weld-Puddle Configurations by Impulse Decanting, 201-s to 210-s, (July).
Zettlemoyer, N. and Fisher, J. W.—Stress Gradient and Crack Shape Effects on Stress Intensity at Welded Details, 246-s to 250-s, (Aug).
Zettlemoyer, N. and Fisher, J. W.—Stress Gradient Correction Factor for Stress Intensity at Welded Gusset Plates, 57-s to 62-s, (Feb).

. . . Additional Literature Available . . .

- For information concerning the *Welding Handbook* and other AWS literature including specifications, standards, and recommended practices relating to welding, brazing, and associated processes, write to:

American Welding Society
2501 N.W. 7th Street
Miami, FL 33125

- For information concerning WRC Bulletins, WRC Interpretive Reports and related literature describing the results of research dealing with significant areas of interest to the welding industry, write to:

Welding Research Council
345 E. 47th Street
New York, NY 10017